























#### THE MAKING OF HAWKINS PRESSURE COOKERS

Hawkins Cookers Limited has been in business since 1959. Today, it has two offices, three factories and about 800 persons working. It is the leader in the pressure cooker market in India and has exported its products since 1974 to various countries in each of the six continents of the world.

Worldwide, Hawkins has sold over 69 million units of pressure cookers and cookware by producing products of good design, good quality and considerable consumer benefit. Hawkins pressure cookers are listed by Underwriters Laboratories Inc., USA, an independent worldwide institution testing products for public safety.

Each pressure cooker made by Hawkins features an inside fitting lid. This design is inherently safer than conventional pressure cookers. To open any Hawkins cooker, you have to first lower the lid slightly into the body of the cooker; and that cannot be done until the steam pressure inside the cooker falls to a safe level. Thus Hawkins pressure cookers are pressure-locked for safety – like a jetliner door!

The Hawkins Company is well known for not compromising on quality and for continual product innovation. The most thorough research and development, the most careful selection of materials, the best manufacturing practices and the strictest quality control – all go into making pressure cookers which are trusted by the millions of families using them.

Each cooker is tested to be leak-proof. Along with a superior pressure regulating system, this ensures that Hawkins cooks quickest. Each pressure cooker comes individually packed in an attractive full-colour carton. Cookbooks/Instruction Manuals come free with each pressure cooker. All Hawkins pressure cookers are guaranteed for five years.

### CONTENTS

Hawkins Classic Pressure Cooker
Hawkins Contura Pressure Cooker 5
Hawkins Contura Black Pressure Cooker
Ceramic-Coated Hawkins Contura Pressure Cooker 9
Hawkins Hevibase Pressure Cooker
Hawkins Stainless Steel Pressure Cooker13
Hawkins Bigboy Pressure Cooker
Futura Pressure Cooker
Futura Stainless Steel Pressure Cooker
Miss Mary Pressure Cooker

# Hawkins CLASSIC





#### **HAWKINS CLASSIC PRESSURE COOKER**

The Classic is Hawkins' largest-selling, most popular range of pressure cookers – perhaps because of its attractive combination of features, benefits and price. Each Hawkins Classic features an inside-fitting lid. This design is inherently safer than conventional cookers. Thus Hawkins Classic pressure cookers are pressure-locked for safety – like a jet liner door!

This range was the first to be introduced by Hawkins and has been kept fresh and current by numerous innovations and improvements over the years. The latest improvement is a superior pressure regulating system that controls pressure to a narrower, more efficient range, reduces sprouting of frothy foods (such as *dal*) and is easier to insert and remove.

The safety valve is located under the lid handle bar so that when it operates the steam is safely deflected downwards. The gasket has minimum exposure to steam inside the cooker, does not rub every time the product is opened and closed – so lasts longer.

Stay-cool handles. Fixed sturdy pivot does not put pressure on the plastic handles as it is a part of the metal handle itself. Thus handles last longer. Recommended for use on gas stoves.

























PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
CL15	1.5	130	3.25	8901165090849
CL20	2	134	3.25	8901165000848
CL3T	3 (TALL)	134	3.25	8901165001845
A30	3 (WIDE)	152	3.25	8901165092843
CL35	3.5	164	3.25	8901165091846
CL40	4	164	3.25	8901165003849
CL50	5	164	3.25	8901165004846
CL51	5 (WITH SEP)	164	3.25	8901165004945
CL65	6.5	164	3.25	8901165005843
CL66	6.5 (WITH SEP)	164	3.25	8901165005942
CL8T	8 (TALL)	164	3.25	8901165006840
CL8W	8 (WIDE-BODY)	208	3.25	8901165007847
CL10	10	208	3.25	8901165008844
CLII	IO (WITH SEP)	208	3.25	8901165008943
CL12	12	208	4.06	8901165009841

# Conturb





### **HAWKINS CONTURA PRESSURE COOKER**

The Contura has all the features and benefits of the Classic plus a unique body with rounded sides for easier stirring, better visibility and easy removal of food. For difficult dishes which require a lot of stirring, the Contura is the ideal cooker. Stay-cool handles. Recommended for use on gas stoves.















PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
HCI5	1.5	130	3.25	8901165625843
HC20	2	134	3.25	8901165023847
HC30	3	130	3.25	8901165620848
HC35	3.5	150	3.25	8901165020846
HC40	4	130	3.25	8901165623849
HC50	5	150	3.25	8901165022840
HC65	6.5	150	3.25	8901165621845

### Recipe for Gajar ka Halwa (Carrot Pudding) For 3 Litre Model: Yield 21/2 cups: Serves 4

**Pressure** Cooking Time: 0 minute

red carrots 6 large (2 lb 7 oz / 1.1 kg) 1. Put carrots and milk in cooker.

peeled and grated

milk 2 tbsp + 1 tsp / 35 ml

**sugar** 1 cup + 3 tbsp / 240 g

**mava/khoya\*** 1½ cups + 1½ tbsp /

240 g crumbled

**ghee** 1/4 cup / 50 g

almonds 12 blanched,

skins removed and sliced

\* whole dried milk

- 2. Close cooker. Bring to full pressure on high heat. Remove cooker immediately from heat. Release pressure with slight lifting of vent weight. Open cooker.
- 3. Place open cooker with carrots and milk on high heat. Add sugar. Cook till liquid dries up (about 13 minutes), stirring occasionally. Add mava and ghee. Cook till ghee shows separately (about 8 minutes), stirring constantly. Serve hot, garnished with almonds.









# HAWKINS CONTURA BLACK PRESSURE COOKER

The Hawkins Contura Black models have all the features and benefits of the Hawkins Contura Pressure Cooker in a hard anodised body and stainless steel lid. The beautiful, durable black finish given by 60 microns thick hard anodising has two benefits. It makes the pressure cooker absorb heat faster making it more energy-efficient. And the pressure cooker stays looking new for years. Recommended for use on gas stoves.
















PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
CB15	1.5	130	3.25	8901165624846
CB20	2	134	3.25	8901165027845
CB30	3	130	3.25	8901165028842
CB35	3.5	150	3.25	8901165025841
CB40	4	130	3.25	8901165622842
CB50	5	150	3.25	8901165026848
CB65	6.5	150	3.25	8901165029849

# What is Hard Anodising?

Hard Anodising was first developed by Russian scientists to produce a metal surface tough enough for space travel. The same technology is now used to make the most advanced Pressure Cooker. Through a process of electrolysis at sub-zero temperature using a high intensity electric current, a 60 micron thick layer of aluminium oxide (Al<sub>2</sub>O<sub>3</sub>) is formed molecule by molecule as an integral part of pure, virgin aluminium. This process is called Hard Anodising. It produces a tough surface with wonderful properties for cooking.



- Thermal-efficient: heats fast and evenly
- Not spoilt by high heat
- 2.4 times harder than steel
- Non-toxic, non-staining, non-reactive with foods
- Will not pit, tarnish or corrode
- Stays looking new for years





# **CERAMIC-COATED HAWKINS CONTURA PRESSURE COOKER**

The Ceramic-Coated Hawkins Contura has all the features and benefits of the Hawkins Contura Pressure Cooker and has a non-toxic ceramic coating only on the exterior of body. The Ceramic-Coated body is scratch and stain resistant. The mouth of the cooker body is provided with metallic rim for additional safety. It has a black base that heats quickly. Recommended for use on gas stoves.







PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
CMY30	3	130	3.25	8901165650142
CAG30	3	130	3.25	8901165650548
CTR30	3	130	3.25	8901165650043









# INDUCTION COMPATIBLE HAWKINS HEVIBASE PRESSURE COOKER

A double-thick 6.35 mm base, which is hard anodised and an induction compatible disc attached under high pressure to ensure a base that is permanent and heats quickly and evenly. The double-thick, heavy gauge base is ideal for light frying before pressure cooking. The base stays flat, never bulges.

Suitable for gas, induction, electric, ceramic and halogen cooktops.













PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
IH20	2	144	6.35	8901165631820
IH30	3	144	6.35	8901165632827
IH35	3.5	164	6.35	8901165634821
H56	5	164	6.35	8901165630823
IH65	6.5	164	6.35	8901165633824
IH80	8 (WIDE-BODY)	200	6.35	8901165635828

## Abridged Recipe for Vegetable Biryani (Rice Layered with Spicy Vegetables)

## For 5 Litre Model: Yield 15 cups: Serves 7

**Pressure** Cooking Time: 3 minutes



- 2. Boil 5 cups water in cooker. Add salt, spices and rice. Boil 5 minutes without vent weight. Remove cooker from heat. Transfer rice to a colander and drain.
- **3.** Heat one-fourth cup ghee in cooker 2 minutes. Add onions, ginger paste, cut potatoes and cauliflower. Fry 3 minutes. Add cut beans, carrots and peas. Fry 2 minutes. Add red chilli, cumin and garam masala powders, tomatoes, coriander and mint leaves, lemon juice and salt. Fry 3 minutes. Add paneer. Mix gently. Add 1 cup water. Stir.
- **4.** Remove cooker from heat. Place rice on vegetables. Dribble saffron-milk over rice. Add hot ghee and cumin seeds.
- **5.** Close cooker. Bring to pressure and cook 3 minutes. Remove cooker from heat. Allow to cool naturally. Release pressure. Open cooker.
- **6.** Garnish with almonds and mint leaves. Serve hot with butter or curd.









# INDUCTION COMPATIBLE HAWKINS STAINLESS STEEL PRESSURE COOKER

The body and lid are 100% stainless steel. To ensure uniform heating, the bottom has a core of 4.06 mm thick aluminium sandwiched between two sheets of stainless steel. The base always stays flat, never bulges.

Stainless steel stays bright, does not pit or corrode, is easy to clean and extremely hygienic. Can be used safely for light and deep frying and pressure cooking.

Suitable for gas, induction, electric, ceramic and halogen cooktops.


















PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
B25	2	140	5.81	8901165045801
B33	3 (TALL)	140	5.81	8901165048802
B60	3	168	5.81	8901165040806
B45	4	168	5.81	8901165046808
B30	5	168	5.81	8901165041803
B65	6	168	5.81	8901165047805
B85	8	208	7.00	8901165043807
D40	10	208	7.00	8901165044804

Induction compatible base AISI 430 magnetic stainless steel



# Hawkins BIGBOY



#### **HAWKINS BIGBOY PRESSURE COOKER**

The Bigboy range has been specially designed to cook large quantities of food quickly and economically. It is most useful in restaurants, hotels, canteens in factories, hospitals, schools and colleges. Also, canteens in many civil or military government establishments are using the Hawkins Bigboy.

The 18 Litre and 22 Litre Bigboy Pressure Cookers have a pair of sturdy lifting handles attached to the sides of the pressure cooker for convenience in handling the heavy weight carried by such pressure cookers. The plastic handles of all Bigboy Pressure Cookers are made from reinforced fibreglass for extra strength. Similarly, all other components of Bigboy Pressure Cookers are made for heavy duty. A chain is attached to the vent weight to prevent loss in busy kitchens.

Recommended for use on gas or kerosene stoves. They may also be used on coal burning or firewood stoves provided a suitable gap is kept between the fuel and the bottom of the cooker.









PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
E00	14	208	4.06	8901165030807
E30	18	245	4.88	8901165032801
E20	22	245	4.88	8901165031804

# COOK LARGE QUANTITIES OF HEALTHY, TASTY FOOD QUICKLY AND ECONOMICALLY

ITEM	QUANTITY	COOKING TIME
RICE	16 kgs/35.3 pounds	29 minutes
RED GRAM (Tur Dal)	15 kgs/33.1 pounds	29 minutes
SPICED CHICKPEAS CURRY (Channa Masala)	13 kgs/28.7 pounds	48 minutes
SPICED MUTTON CURRY (Mutton Masala)	16 kgs/35.3 pounds	39 minutes









#### **FUTURA PRESSURE COOKER**

A beautiful combination of form and function, Futura is the only pressure cooker in the world to have been displayed by The Museum of Modern Art, New York.

Futura cooks on average 46% faster than a microwave oven.

The beautiful, durable black finish given by 60 microns thick hard anodising has two benefits. It makes the pressure cooker absorb heat faster making it more energy-efficient. And the pressure cooker stays looking new for years.

The unique pressure regulating system gives you the convenience of finger-tip pressure release and prevents clogging of the steam vent. The double-thick base stays flat, heats evenly and is ideal for light frying before pressure cooking.

Suitable for gas, electric, ceramic and halogen. Induction compatible models available in 3 Litre and 5 Litre.





















PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
F05	2	134	6.35	8901165058535
F40	3	152	6.35	8901165050539
IF30	3	152	6.35	8901165640532
F45	4	179	6.35	8901165056531
FI0	5	179	6.35	8901165052533
IF50	5	179	6.35	8901165642536
F60	6	179	6.35	8901165057538
F20	7	180	6.35	8901165053530
O70	7 (JUMBO)	200	6.35	8901165054537
O90	9	200	6.35	8901165055534







# INDUCTION COMPATIBLE FUTURA PRESSURE COOKER IN STAINLESS STEEL

The beautiful form and function of the Futura Pressure Cooker – executed in stainless steel. The 7 mm thick base contains a 4.9 mm thick aluminium disc sandwiched in stainless steel for efficient heat dispersion. Dishwasher safe.

Suitable for gas, electric, ceramic, halogen and induction cooktops.




PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
F41	4	185	7.00	8901165063539
F56	5.5	185	7.00	8901165062532



### The Hawkins Test Kitchen





All Cookbooks and Instruction Manuals are written by the Hawkins Test Kitchen. Established in 1984, it has since then tested hundreds of products before launch. The Test Kitchen writes instructions for the user, develops recipes and solves customer problems. If a product has some issues the Test Kitchen sends it back to the R&D Centre for improving the design. The Test Kitchen tests products from the consumer's point of view.

# MISS MARY. PRESSURE COOKER





### **MISS MARY PRESSURE COOKER**

Miss Mary is a well-made and reliable pressure cooker that will not leak. It will give trouble-free service and is totally safe. Miss Mary Pressure Cookers go through all the applicable rigorous checks and tests as are applied on other pressure cookers manufactured by Hawkins and are quality-certified by the Bureau of Indian Standards (popularly known as ISI). Recommended for use on gas stoves.



















PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	EAN CODE
J00	1.5	130	3.25	8901165076805
J15	2.5	134	3.25	8901165070803
J31	3	134	3.25	8901165077802
J32	3.5	134	3.25	8901165071800
J44	4.5	164	3.25	8901165072807
J57	5	164	3.25	8901165078809
J58	5.5	164	3.25	8901165073804
J74	7	164	3.25	8901165074801
J84	8.5	208	3.25	8901165075808







Hawkins Cookers Limited is the proprietor of the trademarks Hawkins, Hawkins Classic, Hawkins Contura, unauthorised use of the aforesaid Futura, Miss Mary, Hawkins Hevibase, Hawkins Contura Black, Tomato Red Hawkins Contura, Mustard Yellow trademarks is a violation of law and may Hawkins Contura, Apple Green Hawkins Contura and Hawkins Bigboy in India and in various other countries invite appropriate civil action or criminal prosecution.

The products shown in this catalog are protected by patents and/or design registrations and/or other applicable laws concerning intellectual property rights in India and in various other countries. Product specifications are correct as on July 2015 and are subject to change 2015 Copyright without notice. Reserved. The entire contents of this catalog including design, photography, text and logos are the property of Hawkins Cookers Limited. unauthorised use or reproduction of any part or whole of this catalog for commercial or other purpose or any unauthorised use of the aforesaid trademarks is a violation of law and may prosecution.



# Hawkins Cookers Limited

www.hawkinscookers.com

Corporate Identity Number: L99999MH1959PLC011304

### FOR ENQUIRIES FROM INDIA, CONTACT:

Hawkins Marketing Department, New Udyog Mandir II Pitamber Lane, Mahim, Mumbai 400 016 Tel: (22) 2444 0807; Fax: (22) 2444 9152 Email: conserve@hawkinscookers.com

#### FOR ENQUIRIES FROM REST OF THE WORLD, CONTACT:

Hawkins Export Department, Maker Tower F 101 Cuffe Parade, Mumbai 400 005, India

Tel: (91 22) 2218 6607; Fax: (91 22) 2218 1190

Email: exports@hawkinscookers.com